UNCLASSIFIED

AD NUMBER AD867361 **NEW LIMITATION CHANGE** TO Approved for public release, distribution unlimited **FROM** Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; 26 NOV 1969. Other requests shall be referred to Army Test and Evaluation Command, Aberdeen Proving Ground, MD 21005. **AUTHORITY** USATECOM ltr dtd 14 Dec 1970

26 November 1969

Materiel Test Procedure-10 U. S. Army Arctic Test Center

F 14 11

U. S. ARMY TEST AND EVALUATION COMMAND ENVIRONMENTAL TEST PROCEDURE

ARCTIC ENVIRONMENTAL TEST OF CLOTHING AND SLEEPING EQUIPMENT

OBJECTIVE

The objective of the procedures outlined in this MTP is to provide a means of evaluating the suitability of clothing and sleeping equipment in arctic winter environmental conditions.

2. BACKGROUND

Engineering tests of equipment are conducted to determine the characteristics and performance of the equipment under various conditions of operation, and to ensure their compliance with specified requirements. Testing in a natural arctic winter environment is used to substantiate or supplement data obtained from simulated tests conducted during the Engineer Design and Engineering Test phase. Testing in the arctic winter environment generally is not authorized until data from simulated environmental tests provides reasonable assurance that the test item will function satisfactorily when subjected to the conditions that would be encountered in the arctic.

3. REQUIRED EQUIPMENT

- a. Test and comparison equipment as required.
- b. Appropriate arctic winter uniforms and individual field equipment.
- c. Vehicles as required.
- d. Support aircraft.
- e. Drop zone.
- Parachutists adjustable individual equipment containers, as required.
- f. Parachutists adjustable instrumentation.

 Meteorological support instrumentation.

 Photographic equipment (black and white h. Photographic equipment (black and white or color).
- i. Weapons and ammunition as required.
- j. Any general and special tools, and other ancillary items required for repairs or maintenance on the test item.

REFERENCES

- AR 70-8, Human Factors and Social Sciences Research.

 B. AR 70-10, Army Materiel Testing.
- AR 705-5, Army Research and Development.
- AR 705-15, Operations of Materiel Under Extreme Conditions of
- USATECOM Regulation 705-2, Documenting, Test Plans and Reports.
- F. FM 31-70, Basic Cold Weather Manual.
- G. MTP 10-4-008, Load Carrying Equipment.
- MTP 10-4-500, Arctic Preoperational Inspection, Physical Characteristics, Human Factors, Safety and Maintenance Evaluation.

This door -

II . . .

atts: 171115TE-TS: 1216 111 71005

5. SCOPE

5.1 SUMMARY

The procedures outlined in this MTP are designed to determine and evaluate the functioning characteristics of clothing and sleeping equipment under arctic winter environment conditions.

The specific tests to be performed and their intended objectives are listed below:

- a. Preoperational Inspection and Physical Characteristics The objective of this subtest is to determine:
 - 1) If the test and comparison (control) items are in proper condition for testing.
 - 2) If the test items physical characteristics conform to applicable criteria.
- b. Functional and Operational Suitability The objective of this subtest is to determine the suitability of the test items by subjecting them to arctic usage, which will reveal the test items operational durability and portability characteristics in relationship to the applicable Qualitative Materiel Requirements (QMR), Small Development Requirements (SDR), Technical Characteristics (TC), or other requirements and documentation.
- c. Aerial Delivery The objective of this subtest is to determine the suitability of the test items for parachute operations under arctic winter environmental conditions.
- d. Human Factors Evaluation and Safety The objective of this subtest is to determine whether the test items are acceptable to the wearer/user under arctic winter environmental conditions.
- e. Maintenance Evaluation The objective of this subtest is to determine whether the test items meet maintenance and maintainability requirements as defined by QMR, SDR, TC or other established criteria.

5.2 LIMITATIONS

The procedures described in this MTP are limited to the testing of clothing and sleeping equipment under arctic winter environmental conditions.

6. PROCEDURES

6.1 PREPARATION FOR TEST

- a. Arctic winter environmental tests are normally scheduled from October through March (6 months). Tests, test comparison (control) and support items should be delivered to the arctic test center prior to 1 October.
- b. TDY personnel will be used to augment assigned personnel and will be trained to the degree that they are as proficient on the individual items as the troops who will use the item.
- c. Ensure that all test personnel are familiar with the required technical and operational characteristics of the item under test, such as stipulated in Qualitative Materiel Requirements (QMR), Small Development

Requirements (SDR), and Technical Characteristics (TC), and record this criteria in the test plan.

- d. Review all instructional material issued with the test item by the manufacturer, contractor, or government, as well as reports of previous tests conducted on the same type of items, and familiarize all test personnel with available references.
- e. Record the grade, MOS, background, and training of all test personnel and ensure that all personnel receive new equipment training (NET) as required.
 - f. Record the following information:
 - 1) Nomenclature, serial number(s), and manufacturer's name of the test items.
- g. Select test items having an accuracy ideally at least 10 times greater than that of the function to be measured.
- h. Prepare record forms for systematic entry of data, chronology of test, and analysis in final evaluation.
- i. Prepare adequate safety precautions to provide safety for personnel and equipment, and ensure that all safety SOP's are observed throughout the test.
- j. Record the prevailing meterological conditions during the test conduct, to include:
 - 1) Temperature
 - 2) Humidity, relative or absolute
 - 3) Temperature gradient
 - 4) Atmospheric pressure
 - 5) Precipitation
 - 6) Solar radiation
 - 7) Wind speed and direction
 - 8) Frequency of readings
 - 9) Source of data

k. Outfit assigned personnel in appropriate winter clothing as described in MTP 10-4-500, and with individual field equipment (as directed) during all testing.

6.2 TEST CONDUCT

NOTE: The following procedures may be conducted concurrently with MTP 10-4-008 (Load Carrying Equipment) or similar MTP's where clothing and sleeping equipment may be used and transported.

6.2.1 <u>Preoperational Inspection and Physical Characteristics</u>

Upon receipt, carefully inspect all test and comparison items and their shipping or packaging containers for completeness, damage and general condition in accordance with the applicable sections of MTP 10-4-500.

6.2.2 Functional and Operational Suitability

6.2.2.1 Clothing

- a. Conduct this subtest in ambient air temperatures ranging from 0°F to the lowest available temperature.
- b. Conduct the clothing phase of this subtest 25% of the testing time in $0^{\circ}F$ to $-25^{\circ}F$, 50% in $-25^{\circ}F$ to $-45^{\circ}F$, and 25% in $-45^{\circ}F$ to the lowest available temperature.
- c. Direct the test personnel to wear the test and comparison items (as instructed) with individual field gear and dressed in appropriate arctic winter uniform to accomplish the following:
 - 1) Snowshoe 16 miles through dense, snow-covered brush.
 - 2) Snowshoe 12 miles over snow-covered (cross-country) terrain.
 - 3) Ski 100 miles over cross-country ski trails.
 - 4) Vehicular marches:
 - a) 100 miles cross-country in tracked vehicles
 - b) 100 miles on secondary roads in wheeled vehicles
 - 5) Four (4) four-day field training exercises consisting of attack, defense, patrol and retrograde operations which shall require individual soldiers of the platoon/squad to use all TO & E equipment as well as special equipment issued for use under arctic winter environmental conditions.
- d. Direct a mortar squad (or gun crew) from the Indirect Fire branch of the Infantry, Airborne and Individual Equipment test division to wear the test and comparison items during preparation for and testing of indirect fire weapons and munition.
- e. Complete the comparison-compatibility form (Appendix A) at the completion of each subtest sequence.
- f. Complete the opinion form (Appendix B) at the completion of each subtest sequence.
 - g. Record the following data:
 - Damage attributed to test items because of environmental effects.
 - Difficulties encountered in wearing or transporting the test item.
 - 3) Meterological conditions at test site.
 - 4) Water repellant qualities of test items.
 - Damage attributed to wear only, discounting environmental effects.
 - 6) Insulating qualities.

6.2.2.2 Sleeping Equipment

- a. Conduct this subtest in ambient air temperatures of $0^{\circ}F$ to the lowest available temperature.
 - b. Inspect each test and comparison item for loose, damaged or

A THE THE PROPERTY OF THE PROP

missing parts, and place in the best possible serviceable condition.

- c. Place the test and comparison items in the prescribed carrying case or on prescribed equipment.
- d. Direct test personnel to carry the test and comparison items (as instructed) with individual field gear and dressed in appropriate arcti: winter uniform to accomplish the following:
 - 1) Repeat steps 6.2.2.1, c 1 through 5.
- e. Direct soldiers to sleep with test and comparison items in the following shelters:
 - 1) Ten-man arctic tents.
 - 2) Improvised shelters:
 - a) Poncho
 - b) Single Lean-to
 - c) Double Lean-to
 - d) Tree pit
 - e) Snow wall, hole, cave, as described in FM 31-70.
 - f. Repeat steps 6.2.2.1, e, f.
 - g. Record the following data:
 - Damage attributed to test items because of environmental effects.
 - 2) Problems encountered while transporting the test item.
 - 3) Meterological conditions at test site.
 - 4) Damage attributed to use and handling of test item.
 - 5) Rapid exit from the test item.
 - 6) Comfort qualities.
 - 7) Type shelters used.

6.2.3 Aerial Delivery

- a. Inspect each test and comparison item before each jump. Note any deficiencies in the test log.
- b. Direct test personnel (parachutists) to prepare test items in accordance with appropriate technical manuals.
 - c. Subject all test items to three parachute jumps.
 - d. Repeat steps b and c using comparison items.
 - e. Inspect each test and comparison item after each jump.
 - f. Complete the comparison-compatibility form (Appendix A).
 - g. Complete the opinion form (Appendix B).
 - h. Record the following data:
 - 1) Results of pre and post jump inspections.
 - 2) Meterological conditions at test site.
 - 3) Compatibility with parachute equipment.
 - 4) Malfunctions of test and comparison items.
 - 5) Method used for attachment of items to parachutists.

6.2.4 Human Factors Evaluation and Safety

- a. Conduct all Human Factors and Safety Tests in accordance with the applicable sections of MTP 10-4-500.
- b. Conduct these tests concurrently with the operational tests (Functional and Operational Suitability).

6.3 TEST DATA

All test data to be recorded will be as specified in the individual subtests of this MTP.

6.4 DATA REDUCTION AND PRESENTATION

Processing of raw test data shall, in general, consist of organizing, marking for identification and correlation, and grouping the test data according to test title.

Specific instructions for the reduction and presentation of individual test data are outlined in succeeding paragraphs.

6.4.1 Preoperational Inspection and Physical Characteristics

Preoperational inspection and physical characteristics data shall be reduced and presented in accordance with MTP 10-4-500.

6.4.2 <u>Functional and Operational Suitability</u>

Examine the recorded data and evaluate the suitability of the test item in arctic environment by determining the following:

- a. If the test item has characteristics that are equal to or surpass those of the comparison items.
- $\,$ b. If the test items provide environmental protection greater than the comparison items.
- c. If the test items are compatible with other items of clothing, individual equipment, and oversnow equipment.
- d. If the test items meet or exceed the appropriate specifications contained in QMR, TC's and SDR's.

Prepare a comprehensive report on the finding of the above evaluations.

6.4.3 Aerial Delivery

The suitability of the item under test for airborne operations under arctic winter environmental conditions shall be determined by comparison with previously accepted items of like nature and specifications. The damage to and/or malfunctions of the items attributed to parachute jumps or environmental effects shall be compared with item specifications contained

in appropriate QMR's and TC's.

6.4.4 <u>Human Factors Evaluation and Safety</u>

Human Factors and Safety data shall be reduced and presented in accordance with MTP 10-4-500, in addition determine the ease of donning and doffing the test item while wearing cold-wet and cold-dry hand wear.

6.4.5 <u>Maintenance Evaluation</u>

 $\,$ Maintenance data shall be reduced and presented in accordance with MTP 10-4-500.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX-A

(EXTRACT PORTIONS NEEDED FOR TEST)

COMPARISON-COMPATIBILITY FORM

GENERAL: This form is to be conday's use of the test or contro		after each
NAME:	DATE:	
TEMPERATURE RANGE:		
1. What type of exercise w	ere you participating in?	
March Bivoua	c Airborne T	actical Exercise
SkiSnowshoe Foot Vehicular Type Parachute	Defense	
2. Which did you wear/use?		
Test Standar	d	
3. Which outer/inner garmen	t did you wear?	
Pile Cap	Steel Helmet	Undershirt, Winter
Field Jacket w/Parka Hood	Field Trousers	Suspenders
w/Liner Yes No	w/Liner Yes No	Boors, VB
Parka w/Hood	O. G. Shirt	Boots, Mtn. & Ski
w/Liner Yes No	Drawers, Winter	Parka w/Hood and Over- whites w/Liner Yes No
4. What problems or difficu		le wearing/
Poor Stability	Restricted Hearing	Moisture
Restricted Vision	Restricted Talking	Tight
Restricted Breathing	Snow, Ice or Frost	Loose

Restricted Smelling	Cold	Too Warm
Uncomfortable	Restricted Movement	
Other	(problem)	
Other	(problem)	
5. I wore the	in conjunction	with the
Skis	Loadcarrying Equipment	
Snowshoes	Other	
Weapon-H14, H16, M79, M60 or other	Other	
Rucksack		
6. I wore the	in or on:	
M-116	2 1/2 Ton	Other
¥-113	1/4 Ton (Other
fank	Aircraft	
7. Thewas or was equipment:	not compatible with the fol	llowing
<u>Equipment</u>	<u>Was</u> <u>Wa</u>	as Not
ETC.		

my was i	ine item not compat	ible with			
8.	I utilized the fo	llowing type shelter:			
	10 Man Tent	Snow Hole			
	Mtn Tent	Snow Cave			
	Lean-to	Snow Wall			
	Double Lean-to	Tree-pit			
	Wigwan	Other			
9.	Did you have any p	problems donning or dofting the?			
	Yes	No			
	Which hand wear di	d you have on?			
Arctic	Mitten	Black/White Leather Bare Hand			
Anti-c	nti-contact Trigger Finger				
10.	Which do you like	best?			
	Test Stand	lard			
	Explain why				
11.	Is the test	More suitable than standard?			
		As suitable as standard?			
		Less suitable than standard?			
		Unknown?			

have the following comments:	
-	(Signature)
-	(Rank)

APPENDIX B

AME:					DATE:			
(Exercise No. or period of time)								
EMPERATI	URE RANG	E:		·				
1.	Check	the _			you wore/used during the pe	riod:		
	☐ Te	st		Stand	ard			
2.	Write	your	opinion	of the _	you used:			
EST:								
								
	, _,, -, -, -, -, -, -, -, -, -, -, -, -, 					**************************************		
		-						
····								
		/						

26 November 1969 STANDARD: 3. Rank by number your order of preference: Test _____ Standard ____ Explain why you like the _____ rated no. 1. 4. (Signature) (Rank)

MTP 10-4-005

UNCLASSIFIED

Security Classification					
DOCUMENT CONT Security classification of title, body of abstract and indexing			overall report is classified;		
US Army Test and Evaluation Command (USATECOM)		Unclassified			
Aberdeen Proving Ground, Maryland 21005		2b. GROUP			
US Army Test and Evaluation Command Materi Test Procedure - "Arctic Environmental Tes	el Test Proc t of Clothin	edure 10-4 g and Slee	4-005, Environmental eping Equipment."		
4 DESCRIPTIVE NOTES (Type of report and inclusive dates) Final					
5 AUTHORISI /First name, middle initial, last name)					
6 REPORT DATE 26 November 1969	74. TOTAL NO. OF	PAGES	7b. NO. OF REFS		
8ª CONTRACT OR GRANT NO	16 8 98. ORIGINATOR'S REPORT NUMBERIS)				
DA~18-001-AMC-1045(R) b. PROJECT NO AMCR 310-6	MTP 10-4-005				
c.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)				
d					
This document is subject to special export foreign governments or foreign nationals,-CANADA, AND UNITED KINGDOM,-may be made or	WITH THE EXC	EPTION OF	AUSTRALIA,		
11 SUPPLEMENTARY NOTES	12. SFONSORING M Headquarte		TITY		
	US Army Test and Evaluation Command Aberdeen Proving Ground, Maryland 21005				
This Environmental Test Procedure describes uating the functioning characteristics of Arctic winter environment conditions. Exestablished by Qualitative Materiel Requirements (SDR), Technical Characteristics (TC ments or specifications.	Clothing and valuation is ments (QMR)	Sleeping related t Small De	Equipment under o the criteria velopment Require-		

DD FORM 1473 S/N 0101-807-6811

(PAGE 1)

UNCLASSIFIED
Security Classification

UNCLASSIFIED

	Security Classification			·			
14 KEY WORE	KEY WORDS	POLE		A LIN		ROLE	к с w т
		FOLE	 -	AOLE	wT	HOLE	W *
	Environmental Test						
	Arctic Winter Environmental Test						
	Clothing and Sleeping Equipment			i 1			
	Test Procedures					i	
	Test Methods and Techniques						
	lest methods and rechniques						
			i				
						}	
					İ		
					ļ		
]				
		J	j] .	l]	

DD FORM 1473 (BACK)

% 5101-807-6921

UNCLASSIFIED
Security Classification